Current Wildland Fires
Executive Situation Report
as of 08/15/2014 0800 Hours



Total of 11 incidents identified on map

Created by Cal-OES GIS
August 15, 2014
Source: CalOES, FAM 209s
Active_Incident/Fires/2014/Statewide/August/Projects/Statewide_Fires_20140815_0800_exec.mxd

Date: August 15, 2014 - Per Morning ICS 209s

Active Incident	Engines	Aircraft	Personnel State	Personnel Fed	Personnel Local	Personnel Total	CA-National Guard	Out of State	Acres	Containment	Structure Threat(s)
Bald Fire	6	0	23	18	0	93		13	39,736	95%	0
Coffee Complex**	3	2	64	82	0	146			6,178	90%	0
Frying Pan Fire**	6	0	32	49	0	81			1,066	0%	42
Eiler Fire	116	3	952	94	123	1,262		22	32,416	95%	0
Happy Camp Complex	36	4	61	512	34	685			1,850	10%	402
July Complex	76	12	289	488	153	1,009			26,488	12%	220
KNF Beaver Fire	126	6	370	546	303	1,388			32,307	75%	235
Lodge Complex	117	12	955	125	533	1,963	143		12,336	65%	16
Log Fire	46	0	408	190	74	712			3,316	55%	1,251
Man Fire	0	0	0	12	0	12			164	0%	0
Shoemaker Fire	10	4	40	223	0	263			177	10%	0
TOTALS	**532**	**39**	**3,154**	**2,116**	**1,220**	**7,351**	**143**	**35**	**155,857**	**N/A**	**2,166**

***Data as of 08/14/2014 2014 CT ICS 209s for Coffee Complex; 08/14/2014 1854 CT for Frying Pan Fire*

Date: August 15, 2014 - Per Morning ICS 209s

Active Incident	Engines	Aircraft	Personnel				CA-National Guard	Out of State	Acres	Containment	Structure Threat(s)
			State	Fed	Local	Total					
Bald Fire	6	0	23	18	0	93		13	39,736	95%	0
Coffee Complex**	3	2	64	82	0	146			6,178	90%	0
Frying Pan Fire**	6	0	32	49	0	81			1,066	0%	42
Eiler Fire	116	3	952	94	123	1,262		22	32,416	95%	0
Happy Camp Complex	36	4	61	512	34	685			1,850	10%	402
July Complex	76	12	289	488	153	1,009			26,488	12%	220
KNF Beaver Fire	126	6	370	546	303	1,388			32,307	75%	235
Lodge Complex	117	12	955	125	533	1,963	143		12,336	65%	16
Log Fire	46	0	408	190	74	712			3,316	55%	1,251
Man Fire	0	0	0	12	0	12			164	0%	0
Shoemaker Fire	10	4	40	223	0	263			177	10%	0
TOTALS	**532**	**39**	**3,154**	**2,116**	**1,220**	**7,351**	**143**	**35**	**155,857**	**N/A**	**2,166**

***Data as of 08/14/2014 2014 CT ICS 209s for Coffee Complex; 08/14/2014 1854 CT for Frying Pan Fire*